

Work Order ID 142256

Thursday, March 03, 2016 3:14:20 PM

647.0113
B142256
REV. A1

142256

Page 1

Item ID: 647.0113

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut Doubler

Start Date: 3/3/2016 Start Qty: 30.00

30

Cust Item ID:

Required Date: 3/11/2016 Req'd Qty: 30.00

30

Customer:

Reference:

Approvals: Process Plan: *MCS*
QC:

Date: *MAR 03 2016*
Date:

Tooling:
SPC (Y/N):

Date:
Date:

Run Start *NR1*
Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
647.0100	A1								
110		0.00							
110									
Waterjet	Memo	0.02							
FLOW CNC Waterjet	1-Cut as per Dwg Dwg Rev: <i>A1</i> Prog Rev: <i>A1</i>								
	2-Deburr if necessary								
120		0.00							
120	QC2- Inspect parts off machine FAI/FAIB								
QC	Memo	0.01							
Quality Control									

37

DC 16/03/03

32

DC 16/03/03

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Work Order ID 142256

Thursday, March 03, 2016 3:14:20 PM

142256

Page 2

Item ID: 647.0113

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Strut Doubler

Start Date: 3/3/2016 Start Qty: 30.00

30

Cust Item ID:

Required Date: 3/11/2016 Req'd Qty: 30.00

30

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.01

Quality Control

DAS
38
9-88

MAR 04 2016

140

Outsource process-Anodize per QSI017 4.1.10.1

0.00

140

Outsource4

Memo

90.00

Outsource process - Anodize

Issue P/O to ATG : 31653

1- Black Anodize as per Dwg 647.0100

2- PRIME AS PER DWG, SEE NOTE #2

Certification of Conformity is required

32

MAR 10 2016

DAS
13
9-88

150

Receive & Inspect for Damage & Mat'l Certs

0.00

150

Packaging

Memo

0.01

Packaging

32x SP16-13-15

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 142256

Thursday, March 03, 2016 3:14:20 PM

142256

Page 3

Item ID: 647.0113

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Strut Doubler

Start Date: 3/3/2016 Start Qty: 30.00

30

Cust Item ID:

Required Date: 3/11/2016 Req'd Qty: 30.00

30

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC5- Inspect part completeness to step on W/O

0.00

160

QC

Memo

0.01

Quality Control

32

JAS
38
MAR 15 2016

190

Identify as per dwg & Stock Location CC609

0.00

190

Packaging

Memo

0.01

Packaging

IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV

32
DAS
6
9-89

MAR 15 2016

200

QC21- Final Inspection - Work Order Release

0.00

200

QC

Memo

0.05

Quality Control

16/11/16

MLJ

MAR 16 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Thursday, March 03, 2016 3:14:26 PM

Page 1

Work Order ID: 142256
Parent Item: 647.0113
Parent Item Name: Strut Doubler

Start Date: 3/3/2016
Start Qty: 30.00
Required Date: 3/11/2016
Required Qty: 30.00

Comments: IPP REV:A 12.08.14 NEW ISSUE DD VERF:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M2024T3S.125 2024-T3 .125 sheet		Purchased	No			110	sf	19.3000	0.318	10.042105			

Location

MAT021

Loc Qty

19.3

Loc Code

M127668

19.3

11.3

OK 16/03/03

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO.		03985		SHEET 1 OF 2	
	DWG NO.	647.0100	REV:	A	PREPARED BY	J. BECKER
	DATE: 7/15/13		EFFECT ON DWG ☐ INC. ☒ UNINC.			
	DWG TITLE: SHEET METAL					
TRANSACTION CODES (TC): A-ADD R-REVISE C-CREATE D-DELETE	APPROVED BY:	ENGR 	MFG 	QC 	EFF. NEXT ORDER	
REASON: REVISED NOTE 2. ADDED 647.0117						

INDUSTRIES, INC.

ENGINEERING CHANGE NOTICE NO.

03985

SHEET 1 OF 2

DWG NO. 647.0100

REV: A

PREPARED BY J. BECKER

DATE: 7/15/13

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: SHEET METAL

APPROVED BY:	ENGR
--------------	------

MFG

QC

EFF.	NEXT ORDER
------	------------

TRANSACTION CODES (TC):

A-ADD	C-CREATE
R-REVISE	D-DELETE

REASON: REVISED NOTE 2. ADDED 647.0117

NOTES:


IS

- 1 MATERIAL: ALUMINUM 2024-T3 PER AMS-QQ-A-250/4.
- 2 FINISH: IAW MPP-172 ANODIZE IAW SECTION 2.1,
PRETREATMENT IAW SECTION 3.1
AND PRIMER IAW SECTION 4.1.
3. DEBURR AND BREAK ALL SHARP EDGES.
4. IDENTIFY IAW MPP-120.
- 5 MATERIAL: 304 SS IAW AMS 5643.
- 6 FINISH: PRIME IAW MIL-P-23377J TYPE I CLASS N.
- 7 OTHER DIMENSIONS SAME AS 647.0112.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 138352 ML5
15-10-29

SHEET 1, ZONE D1 IS:


	C	647.0117			STRUT BRACKET	△	△
F/N	TC	PART NUMBER			DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:						CHANGE CATEGORY	DER REVIEW REQUIRED
☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM						☐ MAJOR ☒ MINOR	☐ YES ☒ NO



SHEET 3, ZONE B2-4 IS:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE PENBOM 192		
2	INITIAL RELEASE	03/01/07	P. BRAVO
3	INCORPORATED ECN-03775 12964 (5300)	04/26/11	P. BRAVO




UNINCORPORATED ECN(S)

03985

NOTES:



- 1 MATERIAL: ALUMINUM 2024-T3 PER AMS-QQ-A-250/4.
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK; PRETREAT PR-148 ADHESION PROMOTER; PRIME IAW MIL-P-23377J TYPE I CLASS N.
- 3 DEBURR AND BREAK ALL SHARP EDGES.
- 4 IDENTIFY IAW MPP-120.
- 5 MATERIAL: 304 SS IAW AMS 5643.
- 6 FINISH: PRIME IAW MIL-P-23377J TYPE I CLASS N.




647.0110

			647.0116	DOUBLER	△	△
			647.0115	CLIP	△	△
			647.0114	CLIP	△	△
			647.0113	STRUT DOUBLER	△	△
			647.0112	STRUT BRACKET	△	△
			647.0111	PANEL	△	△
			647.0110	ROOF DOUBLER	△	△
		FIND #	PART #	DESCRIPTION	MATL	SPEC.
QTY				PARTS LIST		
NEXT ASSY (S)		ORIGINAL DATE	05-25-07	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300 SHEETMETAL		
646.9500		DRAWN BY	CHECKER			
		H. ROJAS	J. BRAVO			
		DRAWING APPROVAL	BRAVO			
		DESIGN	CONTRACT NO.	SCALE NONE		
		UNLESS OTHERWISE SPECIFIED		SIZE	CAGE CODE	UWG
		DIMENSIONS ARE IN INCHES		B	07M26	647.0100
		TOLERANCES ARE:				REV. A
		2 PLACE DECIMALS ± .01				
		3 PLACE DECIMALS ± .005				
		ANGLES ± .5°				
						SHEET 1 OF 6


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



FLAT PATTERN



647.0111



ORIGINAL DATE DATE CHG. NO. DRAWN BY P. ROSAND P. BRAVO DRAWING APPROVAL P. BRAVO PART NUMBER		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .001 ANGLES ± .5°		SHEETMETAL SIZE CAGE CODE DWG. NO. 8 07M16 647.0100	REV. A
SCALE: NONE		SHEET 2 OF 3	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REV.	DESCRIPTION	DATE	APPROVED

Ø.177 THRU
2X

FLAT PATTERN



647.0112

Ø.191 THRU
2X

ORIGINAL DATE 10/10/11		DRAWN BY P. ROSANO	
DRAWING APPROVAL P. BRAVO		CONTRACT NO.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.001 ANGLES ±.5°		SHEETMETAL	
SHEET B	DATE CODE 07ME6	DWG. NO. 647.0100	REV. A
SCALE NONE		SHEET 3 OF 6	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




647.0113





ORIGINAL DATE 10/20/00	APICAL INDUSTRIES			
DRAWN BY P. ROSANO	CHECKED P. BRAVO	2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300		
DRAWING APPROVAL 10/20/00	SHEETMETAL			
CONTRACT NO.				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 3 PLACE DECIMALS ± .01 ANGLES ± .5°	SIZE B	CAGE CODE 07M16	DWG. NO. 647.010J	REV. A
	SCALE NONE		SHEET 4 OF 6	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REV	DESCRIPTION	DATE	APPROVED



647.0114 SHOWN
647.0115 OPPOSITE





FLAT PATTERN

ORIGINAL DATE (DD/M/YY) 05/26/07		APICAL INDUSTRIES	
DRAWN BY: C. BRAY		2608 TEMPLE HEIGHTS DR.	
P. ROSANO		OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWING APPROVAL P. BRAY		SHEETMETAL	
CONTRACT NO.		647.0100	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .005 ANGLES ± .5°		SIZE B	REV. A
SCALE NONE		DWG NO. 647.0100	SHEET 5 OF 6

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED



647.0116

ORIGINAL DATE 11/01/01		APICAL INDUSTRIES	
DRAWN BY P. ROSANO		2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWING APPROVAL P. ROSANO		SHEETMETAL	
CONTRACT NO.		647.0100	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.002 ANGLES ± 5°		SHEET 6 OF 6	REV A

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31653

Purchase Order Date 3/10/2016

PO Print Date 3/10/2016

Page Number 3 of 4

Order From :

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 613-446-4544

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

6 142256

647.0113 STRUT
DOUBLER REV. A

3/23/2016

32.00

\$11.75

\$376.00

Yes

3/23/2016

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

RUSH PART REQUIRED 6 PCS FOR NEXT TUESDAY

Line Total:

\$376.00

7 139513

D5155-9 CO-PILOT REV.
B

3/15/2016

8.00

\$15.63

\$125.04

Yes

3/15/2016

black Anodize per MIL-A-8625F Type I or IB or IC or II or IIB Class 2, Type III Class 2

Line Total:

\$125.04

Note:

3/10/2016



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911385


Date: 15-Mar-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE

Terms		Ship Via	
Quantity	Description		
	PLEASE REFERENCE THE PACK LIST NUMBER ON ALL CORRESPONDENCE TO THIS SHIPMENT. IF YOU HAVE ANY QUESTIONS, PLEASE CALL AT (613) 446-4544.		
20 ea	Part: 646.3313 UPPER GUIDE Job: 19258	Rev: N/C PO: PO31653	Line:
4 ea	Part: 646.3311 UPPER CUTTER ASSEMBLY Job: 19259	Rev: N/C PO: PO31653	Line:
32 ea	Part: 647.0113 STRUT DOUBLER Job: 19260	Rev: A PO: PO31653	Line: 8816-03-15
DATE: 15/3/16			
CERTIFIED SIGNATURE: 			
RECEIVER SIGNATURE: _____			
Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. CERTIFICATE OF CONFORMANCE A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS. MADE IN CANADA.			